ELSEVIER

Journal of Organometallic Chemistry 499 (1995) C10–C11

Journal of Organometallic Chemistry

Author Index of Volume 499

Aihara, H., 155
Al-Guarashi, M.A.M.R., 57
Ando, W., 99
Ansari, M., 63
Apeloig, Y., 73
Arakawa, Y., 99
Ayoko, G.A., 57

Bankwitz, U., C7
Basova, A.A., 27
Bassindale, A.R., 137
Birot, M., 199
Bobbitt, K.L., 17
Bock, H., 63
Bott, S.G., 11
Braddock-Wilking, J., 89
Brammer, L., 89
Bravo-Zhivotovskii, D., 73
Brun, M.-C., 247
Butin, K.P., 27

Carré, F., 147
Cervantes-Lee, F., 247
Chatani, N., 193
Chuit, C., 147
Ciro, S.M., 49
Conlin, R.T., 11
Corey, J.Y., 113
Corriu, R.J.P., 147

Do, Y., 159
Dunoguès, J., 199

Eaborn, C., 57
Egorov, M.P., 27

Faustov, V.I., 27
Fink, M.J., 1
Fossum, E., 253
Fujii, S., 193

Gaspar, P.P., 17
Goda, K.-i., 167
Gruber, K., 241
Gspaltl, P., 241
Guliński, J., 173
Gun'ko, Y.K., 213

Han, J.S., 159
Harrod, J.F., 181
Hashimoto, H., 205
Hatanaka, Y., 167
Havlas, Z., 63
Hayashi, M., 35
Hengge, E., 241
Hitchcock, P.B., 213
Hiyama, T., 167
Hojo, M., 155
Hong, E., 159
Hosomi, A., 155
Huang, Y., 1
Huhmann, J., 89

Ishikawa, M., 35
Ito, Y., C1

James, B.R., 173
Jung, I.N., 159
Jutzi, P., 7

Kabe, Y., 99
Kako, M., 123
Kato, C., 99
Kawashima, T., 143
Kobayashi, T., 123
Kokubu, I., 193
Komoriya, H., 123
Kroke, E., 229
Kugita, T., 83
Kuroboshi, M., 167
Kyushin, S., 235

Lambert, J.B., 49
Lapouyade, P., 199
Lappert, M.F., 213
Lau, J.C.-Y., 137
Lee, V.Ya., 27
Lickiss, P.D., 57
Love, J.A., 253

Marciniec, B., 173
Marshall, P., 11
Marsmann, H., 229
Matchkarovskaya, I.A., 27
Matsuhashi, H., 167
Matsumoto, A., C1
Matsumoto, H., 221, 235
Matyjaszewski, K., 253
Miura, K., 155
Mochida, K., 83, C4, 123
Monforte, P., 147
Murai, S., 193
Murakami, C., 155
Nagata, K., C1
Nagel, N., 63
Naka, A., 35
Nakadaira, Y., 123
Nanba, M., 83
Nayyar, N.K., 147
Nefedov, O.M., 27
Neumann, B., 7
Nishiwaki, Y., 143

Ogino, H., 205
Ohmura, H., 167
Okazaki, R., 43, 143
Okazaki, S., 35
Ovchinnikov, Y., 73

Pannell, K.H., 247
Pillot, J.-P., 199
Pitts, A.J., 113
Pohl, S., 229
Powell, D.R., C7

Rakhimov, R.D., 27
Rath, N.P., 113
Reyé, C., 147
Richter, F., 131
Roux, P., 199

Saak, W., 229
Saito, M., 43, 221
Sakurai, H., 235
Schieser, M., 89
Schmidt, H., 7
Seyferth, D., 131
Shaltout, R., 89
Siegl, H., 241
Sohn, H., C7
Spielberger, A., 241
Stammler, H.-G., 7
Stern, C.L., 49
Struchkov, Y., 73
Suginome, M., C1
Sugiyama, M., 99
Sulkes, M., 1
Suzuki, H., 83
Suzuki, T., 99

Tanaka, M., 167
Taylor, P.G., 137
Tobita, H., 205
Tokitoh, N., 43

Tokuhisa, H., 193
Tomita, K., 155
Tonogaki-Kubota, M., 123

Unno, M., 221

Wagenseller, P.E., 11
Wang, Y., 11
Weidenbruch, M., 229
West, R., C7
Whittaker, S.M., 247
Winter, R.E.K., 113

Xin, S., 181

Yeon, S.H., 159
Yokoyama, Y., 83, C4

Zharov, I., 73

ELSEVIER

Journal of Organometallic Chemistry 499 (1995) C12–C17

Journal of Organometallic Chemistry

Subject Index of Volume 499

Alcohols
Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

Aldehyde
$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

Alkene
Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143

Alkenes
The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

Alkylsilylation
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

Alkynes
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

Allene
Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

Allylic
Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

Allylic inversion
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

Allylsilanes
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

AM1 calculations
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27

(Amino)disilane
Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

Aryl
Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89

Base
$Et_3GeNa–YCl_3$ complex as a new strong base (Y. Yokoyama and K. Mochida), C4

Bis-silylation
Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1

Block copolymers
Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253

Bulky ligand
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

Carbon monoxide
$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193

Carbonyl
Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex (η^5-C_5Me_5)$Fe_2(CO)_4(\mu$-CO)(μ-PPh_2) (H. Hashimoto, H. Tobita and H. Ogino), 205

Catalysis
The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

Cerium
Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of [Nd{η-$C_5H_3(SiMe_3)_2$-1,3}$_2$(μ-OMe)$_2$Li(DME)] and [{Ce(η-$C_5H_3{}^tBu_2$-1,3)$_2$(μ-OMe)}$_2$] (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

Charge transfer
Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123

Chirality
Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
Chlorination
Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221
Cobalt
$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
C–O cleavage
Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of $[Nd\{\eta\text{-}C_5H_3(SiMe_3)_2\text{-}1,3\}_2(\mu\text{-}OMe)_2Li(DME)]$ and $[\{Ce(\eta\text{-}C_5H_3{}^tBu_2\text{-}1,3)_2(\mu\text{-}OMe)\}_2]$ (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213
Crown ether
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
Crystal structure
Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of $[Nd\{\eta\text{-}C_5H_3(SiMe_3)_2\text{-}1,3\}_2(\mu\text{-}OMe)_2Li(DME)]$ and $[\{Ce(\eta\text{-}C_5H_3{}^tBu_2\text{-}1,3)_2(\mu\text{-}OMe)\}_2]$ (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213
Hepta-tert-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235
Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F. Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147
Syntheses, structures and properties of dihydroxypermethylcyclosilanes and permethyloxahexasilanorbornanes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241
Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
Cycloaddition
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
Cyclopentadienyl
Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of $[Nd\{\eta\text{-}C_5H_3(SiMe_3)_2\text{-}1,3\}_2(\mu\text{-}OMe)_2Li(DME)]$ and $[\{Ce(\eta\text{-}C_5H_3{}^tBu_2\text{-}1,3)_2(\mu\text{-}OMe)\}_2]$ (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213
Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex (η^5-C_5Me_5)$Fe_2(CO)_4(\mu\text{-}CO)(\mu\text{-}PPh_2)$ (H. Hashimoto, H. Tobita and H. Ogino), 205
The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of $(Me_2NCH_2CH_2)Me_4C_5GeCl$ (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammler), 7
Cyclosilanes
Syntheses, structures and properties of dihydroxypermethylcyclosilanes and permethyloxahexasilanorbornanes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241
Cyclotetrasilane
Hepta-tert-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235
Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253
Decasilane
Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si\text{–}SiMe_2\text{–}SiMe_2\text{–}Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
Decomposition reactions
The different modes of decomposition of hexa-t-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229
Dianion
Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
Diazo
Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[l.m.n]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99
Diolefin
Ene preference in the reaction of allenylmethylsilanes with heterodouble bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155
Dioxygen
The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173
Electrochemistry
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
Electronic spectra
Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221
The positions of λ_{max} for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11
Ferrocene
Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
Fluorine
Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
Fluorocarbons
Tetrakis (perfluoropropyl)tin and other perfluoropropyltin com-

pounds: synthesis, characterization and reactivity (D. Seyferth and F. Richter), 131
Germanium
Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
$Et_3GeNa-YCl_3$ complex as a new strong base (Y. Yokoyama and K. Mochida), C4
Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of $(Me_2NCH_2CH_2)Me_4C_5GeCl$ (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammler), 7
Germyl anion
$Et_3GeNa-YCl_3$ complex as a new strong base (Y. Yokoyama and K. Mochida), C4
Germyl anions
Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
Germylene
The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of $(Me_2NCH_2CH_2)Me_4C_5GeCl$ (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammler), 7
Germylenes
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
Germylium ion
Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
Group 14
Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
Ene preference in the reaction of allenylmethylsilanes with heterodouble bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155
Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
Heterocyclics
Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
Hindered (bulky) ligands
Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
Hydrosilane
$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
Hydrosilation
Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/cointramolecular hydrosilation (S. Xin and J.F. Harrod), 181
Hydrosilylation
The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173
Hyperconjugation
Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
Hypercoordination
Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F. Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147
Interactions in crystals
Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
Intramolecular coordination
The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of $(Me_2NCH_2CH_2)Me_4C_5GeCl$ (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammler), 7
Iron
Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex $(\eta^5\text{-}C_5Me_5)Fe_2(CO)_4(\mu\text{-}CO)(\mu\text{-}PPh_2)$ (H. Hashimoto, H. Tobita and H. Ogino), 205
Isocyanide
Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1
Kinetics
Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137
Lithium
Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si-SiMe_2-SiMe_2-Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
Lithium enolate
Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acyl-

silanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
Living polymerization
Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253
Magnesium
Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
Main Group metals
Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
Mass spectrometry
Photolysis of some organosilylene precursors in a molecular beam (Y. Huang, M. Sulkes and M.J. Fink), 1
Matrix isolation
The positions of λ_{max} for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11
Mechanism
Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137
Rates of solvolysis of the compounds $(Me_3Si)_2(Ph_2MeSi)CSiMe_2X$, X = I, OSO_2CF_3 and OCN. Mechanistic implications (M.A.M.R. Al-Guarashi, G.A. Ayoko, C. Eaborn and P.D. Lickiss), 57
Mesityl
Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
Metallocene crystals
Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
Methyl lithium
Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si-SiMe_2-SiMe_2-Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
MNDO calculations
Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus\cdot}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
MO calculations
Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
Molecular beams
Photolysis of some organosilylene precursors in a molecular beam (Y. Huang, M. Sulkes and M.J. Fink), 1
Molecular mechanics
Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
Neodymium
Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of $[Nd\{\eta\text{-}C_5H_3(SiMe_3)_2\text{-}1,3\}_2(\mu\text{-}OMe)_2Li(DME)]$ and $[\{Ce(\eta\text{-}C_5H_3{}^tBu_2\text{-}1,3)_2(\mu\text{-}OMe)\}_2]$ (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213
Nickel
Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35
Nuclear magnetic resonance
Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137
Organic halides
Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
Oxymethylation
$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
Palladium
Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1
Phosphorus
Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F. Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147
Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex $(\eta^5\text{-}C_5Me_5)Fe_2(CO)_4(\mu\text{-}CO)(\mu\text{-}PPh_2)$ (H. Hashimoto, H. Tobita and H. Ogino), 205
Photochemistry
Photolysis of some organosilylene precursors in a molecular beam (Y. Huang, M. Sulkes and M.J. Fink), 1
Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si-SiMe_2-SiMe_2-Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
Photoelectron spectroscopy
Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
Poly(2,4-disilapentane) oligomers
Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
Polysilanes
Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253
Polysilylene
Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253
Potassium
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
Pseudorotation
Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F.

Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147

o-Quinodisilane

Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35

Radical anion salt

Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63

Regioselectivity

Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

Ruthenium

The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

Selenium

Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

Silane

Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167

Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex $(\eta^5\text{-}C_5Me_5)Fe_2(CO)_4(\mu\text{-}CO)(\mu\text{-}PPh_2)$ (H. Hashimoto, H. Tobita and H. Ogino), 205

The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

Silanes

The different modes of decomposition of hexa-t-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229

Silene

Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[l.m.n]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99

Silepins

Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113

Silicon

1:2-Adducts from Silylenes and 1,3-butadiene (K.L. Bobbitt and P.P. Gaspar), 17

Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of $[Nd\{\eta\text{-}C_5H_3(SiMe_3)_2\text{-}1,3\}_2(\mu\text{-}OMe)_2Li(DME)]$ and $[\{Ce(\eta\text{-}C_5H_3{}^tBu_2\text{-}1,3)_2(\mu\text{-}OMe)\}_2]$ (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuroboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167

$Co_2(CO)_8$-Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193

Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[l.m.n]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99

Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123

Ene preference in the reaction of allenylmethylsilanes with heterodouble bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83

Hepta-tert-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235

Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63

Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137

Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1

Photolysis of some organosilylene precursors in a molecular beam (Y. Huang, M. Sulkes and M.J. Fink), 1

Rates of solvolysis of the compounds $(Me_3Si)_2(Ph_2MeSi)CSiMe_2X$, X = I, OSO_2CF_3 and OCN. Mechanistic implications (M.A.M.R. Al-Guarashi, G.A. Ayoko, C. Eaborn and P.D. Lickiss), 57

Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35

Syntheses, structures and properties of dihydroxypermethylcyclosilanes and permethyloxahexasilanorbornanes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241

Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113

Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253

Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89

Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73

Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199

Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7

Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si\text{–}SiMe_2\text{–}SiMe_2\text{–}Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247

Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

The different modes of decomposition of hexa-t-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229

The positions of λ_{max} for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11

Silole
Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7

Silylene
Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex (η^5-C_5Me_5)$Fe_2(CO)_4(\mu$-CO)(μ-PPh_2) (H. Hashimoto, H. Tobita and H. Ogino), 205

Silylenes
The positions of λ_{max} for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11

Single electron reduction
Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\cdot\ominus}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63

Solvolysis
Rates of solvolysis of the compounds $(Me_3Si)_2(Ph_2MeSi)CSiMe_2X$, X = I, OSO_2CF_3 and OCN. Mechanistic implications (M.A.M.R. Al-Guarashi, G.A. Ayoko, C. Eaborn and P.D. Lickiss), 57

Stannaneselone
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

Stannylene
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

Stannylium ion
Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49

Stereoselectivity
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

Sylylene
1 : 2-Adducts from Silylenes and 1,3-butadiene (K.L. Bobbitt and P.P. Gaspar), 17

Tetrabutylammonium fluoride
Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83

Tetrakis(pentafluorophenyl)borate
Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49

1,2,4,5-Tetrakis(trimethylsilyl)benzene
Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\cdot\ominus}]$ (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63

Tin
Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
Tetrakis (perfluoropropyl)tin and other perfluoropropyltin compounds: synthesis, characterization and reactivity (D. Seyferth and F. Richter), 131

Titanium
Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181
Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199

Titanocene
Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

Transition metals
Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35

Trimethylsilyl
Ene preference in the reaction of allenylmethylsilanes with heterodouble bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

Triol
Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1

UV spectra
Synthesis and the electronic spectra of the first β-ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73

X-ray crystallography
The different modes of decomposition of hexa-t-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229

X-ray diffraction
Synthesis and crystal structure of a pentacoordinate 1,2-oxagermetanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
Synthesis, structure, and reactivity of the permethylated decasilane $(Me_3Si)_3Si–SiMe_2–SiMe_2–Si(SiMe_3)_3$ (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

Yttrium
$Et_3GeNa–YCl_3$ complex as a new strong base (Y. Yokoyama and K. Mochida), C4

Zirconium
Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7